

LEATHERMARKET

JMB

Munday House

(Submitted by: John-Paul Eaton on 16 Oct 2014 at 11:48)

External Cleaning SE1 4EU: Bin Areas

Score: 5

External Cleaning SE1 4EU: Bulk Refuse

Score: 3

Comments: Bulk on 3rd floor by chute

External Cleaning SE1 4EU: Graffiti

Score: 6

External Cleaning SE1 4EU: Grassed Areas

Score: 5

External Cleaning SE1 4EU: Hard Surfaces

Score: 5

External Cleaning SE1 4EU: Road Ways

Score: 5

Grounds Maintenance SE1 4EU: Beds

Score: 6

Grounds Maintenance SE1 4EU: Grassed Areas

Score: 5

Grounds Maintenance SE1 4EU: Shrubs

Score: 5

Grounds Maintenance SE1 4EU: Weeds

Score: 6

Internal Cleaning SE1 4EU: Entrance Lobby

Score: 5

Internal Cleaning SE1 4EU: Glazing

Score: 4

Comments: Smearred after clean

Internal Cleaning SE1 4EU: Graffiti

Score: 6

Internal Cleaning SE1 4EU: Lift

Score: 5

Internal Cleaning SE1 4EU: Handrails

Score: 5

Internal Cleaning SE1 4EU: Landings

Score: 5

Internal Cleaning SE1 4EU: Skirtings

Score: 5

Internal Cleaning SE1 4EU: Stairs

Score: 5

Internal Cleaning SE1 4EU: Walls

Score: 5

Internal Cleaning SE1 4EU: Lights

Score: 5

Internal Cleaning SE1 4EU: Lift Lobbies

Score: 6

Internal Cleaning SE1 4EU: Ledges

Score: 5

Average Scores:

Cleaning 5.0

Grounds 5.5